



Maped by the Army Map Service
Published for civil use by the Geological Survey
Control by USC&GS and USCE
Topography from aerial photographs by multiplex methods
Aerial photographs taken 1943. Field check 1949
Coastal hydrography compiled from USC&GS Charts
6151, 1949 and 6152, 1944
Polyconic projection. 1927 North American datum
10,000-foot grids based on Washington coordinate system,
south zone, and Oregon coordinate system, north zone
No distinction is made between dwellings, barns,
commercial and industrial buildings
Dashed land lines indicate approximate locations
Locations of all boundaries are approximate



CONTOUR INTERVAL 50 FEET
DASHED LINES REPRESENT HALF-INTERVAL CONTOURS
DATUM IS MEAN SEA LEVEL
DEPTH CURVES AND SOUNDINGS IN FEET—DATUM IS MEAN LOWER LOW WATER
SHORELINE SHOWN REPRESENTS THE APPROXIMATE LINE OF MEAN HIGH WATER
THE AVERAGE RANGE OF TIDE IS APPROXIMATELY 8 FEET



ROAD CLASSIFICATION
Heavy-duty 2 LANE 16 LANE Light-duty
Medium-duty 2 LANE 16 LANE Unimproved dirt
 U. S. Route State Route

ROSBURG, WASH.—OREG.
USGS N4615—W12337.5/7.5
Historical File
Topographic Division 1949

THIS MAP COMPLIES WITH NATIONAL MAP ACCURACY STANDARDS
FOR SALE BY U. S. GEOLOGICAL SURVEY, FEDERAL CENTER, DENVER, COLORADO OR WASHINGTON 25, D. C.
A FOLDER DESCRIBING TOPOGRAPHIC MAPS AND SYMBOLS IS AVAILABLE ON REQUEST