

## Revised from aerial photographs taken 1960 Field checked 1961

Selected hydrographic data compiled from USC & GS chart 18531 (1974) This information is not intended for navigational purposes

North American Datum of 1927 (NAD 27). Projection: Washington Coordinate System, south zone (Lambert Conformal Conic) 10 000-foot grid ticks: Washington Coordinate System, south zone and Oregon Coordinate System, north zone 1000-meter Universal Transverse Mercator grid ticks, zone 10 shown in blue

The difference between NAD 27 and North American Datum of 1983 (NAD 83) for 7.5 minute intersections is given in USGS Bulletin 1875. The NAD 83 is shown by dashed corner ticks Bulletin 1875. The NAD 83 is shown by dashed corner ticks

18½°

/329 MILS

0°29'

9 MILS

CONTOUR INTERVAL 20 FEET SUPPLEMENTARY CONTOUR INTERVAL 10 FEET NATIONAL GEODETIC VERTICAL DATUM OF 1929 DEPTH CURVES AND SOUNDINGS IN FEET—COLUMBIA RIVER DATUM SHORELINE SHOWN REPRESENTS THE APPROXIMATE LINE OF MEAN HIGH WATER THE MEAN RANGE OF TIDE IS APPROXIMATELY 1 FOOT THIS MAP COMPLIES WITH NATIONAL MAP ACCURACY STANDARDS FOR SALE BY U.S. GEOLOGICAL SURVEY DENVER, COLORADO 80225, OR RESTON, VIRGINIA 22092 A FOLDER DESCRIBING TOPOGRAPHIC MAPS AND SYMBOLS IS AVAILABLE ON REQUEST P

🗍 Interstate Route 🛛 U. S. Route 🔵 State Route QUADRANGLE LOCATION USGS NMD HISTORICAL WASHOUGAL, WASH.-OREG. MAP ARCHIVES There may be private inholdings within the boundaries of the 45122-E3-TF-024 MINOR REVISION 1993 National or State reservations shown on this map JUL 27 1993 Red tint indicates areas in which only landmark buildings are shown 1961 Fine red dashed lines indicate selected fence lines PHOTOREVISED 1970 and 1975 Revisions shown in purple compiled from aerial REC'D FILE COPY photographs taken 1970 and 1975. This information DMA 1575 III SE-SERIES V891 not field checked Purple tint indicates extension of urban areas