



Maped, edited, and published by the Geological Survey
Control by USGS, USC&GS, and USCE
Topography from aerial photographs by ER-55 plotter
Aerial photographs taken 1955. Field check 1957
Canadian topography copied from topographic map of the River Jordan quadrangle surveyed 1937-1938
Canadian Department of Lands and Forests
Hydrography compiled from USC&GS hydrographic surveys (1931)
Polyconic projection. 1927 North American datum
10,000-foot grid based on Washington coordinate system, north zone
1000-meter Universal Transverse Mercator grid ticks, zone 10, shown in blue
To place on the predicted North American Datum 1983
move the projection lines 25 meters north and
98 meters east

SCALE 1:62500
CONTOUR INTERVAL 80 FEET
CONTOUR INTERVAL IN CANADIAN AREA 100 FEET
NATIONAL GEODETIC VERTICAL DATUM OF 1929
DEPTH CURVES IN FEET-DATUM IS MEAN LOWER LOW WATER
THE RELATIONSHIP BETWEEN THE TWO DATUMS IS VARIABLE
SHORELINE SHOWN REPRESENTS THE APPROXIMATE LINE OF MEAN HIGH WATER
THE MEAN RANGE OF TIDE IS APPROXIMATELY 5 FEET

ROAD CLASSIFICATION
Medium-duty ——— Light-duty ———
Unimproved dirt - - - - -
State Route ○
CLALLAM BAY, WASH.-B.C.
N4815-W12415/15
1957
DMA 1180 IV-SERIES V91