


Prepared under the direction of the Chief of Engineers, U. S. Army, 1936.  
Horizontal control by U. S. Coast and Geodetic Survey, 1934-35 and 29th Engineers, U. S. Army, 1936-37.  
Vertical control by U. S. Coast and Geodetic Survey, 1912-35, and 29th Engineers, U. S. Army, 1936-37.  
Topography by 29th Engineers, U. S. Army, 1937, using stereo-comparagram from five lens aerial photographs flown by 91st Observation Squadron, Air Corps, U. S. Army, 1936.  
Polyconic Projection, North American Datum 1927.



ROUTES USUALLY TRAVELED  
HARD IMPERVIOUS SURFACES  
OTHER SURFACE IMPROVEMENTS  
17 U. S. ROUTE 18 STATE ROUTE

Contour interval 20 feet  
Datum is mean sea level (1929 Adj.)  
FIVE THOUSAND YARD GRID COMPUTED FROM "GRID SYSTEM FOR PROGRESSIVE MAPS IN THE U. S." ZONE G, U. S. C. & G. S. SPECIAL PUBLICATION NO. 59 (THE LAST THREE DIGITS OF THE GRID NUMBERS ARE OMITTED)  
NOTE: OFFICERS USING THIS MAP WILL MARK HEREON CORRECTIONS AND ADDITIONS WHICH COME TO THEIR ATTENTION AND MAIL DIRECT TO "THE CHIEF OF ENGINEERS, WASHINGTON, D. C."

APPROXIMATE MEAN DECLINATION 1938 ANNUAL MAGNETIC CHANGE 2' DECREASE

PORT GAMBLE, WASH.  
N4745-W12230/15

MAP ROOM  
University of Oregon Library

HISTORICAL  
RETURN TO  
USGS AND HISTORICAL MAP ARCHIVES