



Maped, edited, and published by the Geological Survey
 Control by USGS, USC&GS, and USCE
 Topography from aerial photographs by multiplex methods
 Aerial photographs taken 1951. Field check 1953
 Hydrography from USC&GS Chart 6152
 Polyconic projection. 1927 North American datum
 10,000-foot grids based on Washington coordinate system,
 south zone, and Oregon coordinate system, north zone
 Dashed land lines indicate approximate locations
 Unchecked elevations are shown in brown
 1000-meter Universal Transverse Mercator grid ticks,
 zone 10, shown in blue



ROAD CLASSIFICATION

Heavy-duty	4 LANE 16 LANE	Light-duty	2 LANE 16 LANE
Medium-duty	4 LANE 16 LANE	Unimproved dirt	---

U.S. Route State Route



CONTOUR INTERVAL 80 FEET
 NATIONAL GEODETIC VERTICAL DATUM OF 1929
 DEPTH CURVES IN FEET—COLUMBIA RIVER DATUM
 SHORELINE SHOWN REPRESENTS THE APPROXIMATE LINE OF MEAN HIGH WATER
 THE AVERAGE RANGE OF TIDE IS APPROXIMATELY SEVEN FEET

THIS MAP COMPLIES WITH NATIONAL MAP ACCURACY STANDARDS
 FOR SALE BY U.S. GEOLOGICAL SURVEY, DENVER, COLORADO 80225, OR RESTON, VIRGINIA 22092
 A FOLDER DESCRIBING TOPOGRAPHIC MAPS AND SYMBOLS IS AVAILABLE ON REQUEST

SKAMOKAWA, WASH.—OREG.
 N4615—W12315/15
 1953
 AMS 1376 IV—SERIES V791

USGS
 Historical File
 Topographic Division

2000
 JAN 13 1978