

U.S. Regional
Depository Copy
DO NOT DISCARD

A.H. ROBINSON
MAP LIBRARY
MAR 18 1992
University of Wisconsin
Madison

1978
COPY
14


Mapped, edited, and published by the Geological Survey
Iowa area mapped in cooperation with the State of Iowa,
Geological Survey

Control by USGS and USC&GS

Topography by multiplex methods from aerial photographs
taken 1953-1954, and in part by U.S. Corps of Engineers
field check 1955

Polyconic projection. 1927 North American datum
10,000-foot grids based on Wisconsin coordinate system,
south zone and Iowa coordinate system, north zone
1000-meter Universal Transverse Mercator grid, zone 15

Map photorevised 1978
No major culture or drainage changes observed



CONTOUR INTERVAL 10 FEET
DOTTED LINES REPRESENT 5-FOOT CONTOURS
NATIONAL GEODETIC VERTICAL DATUM OF 1929

THIS MAP COMPLIES WITH NATIONAL MAP ACCURACY STANDARDS
FOR SALE BY U.S. GEOLOGICAL SURVEY, DENVER, COLORADO 80225, OR RESTON, VIRGINIA 22092
WISCONSIN GEOLOGICAL AND NATURAL HISTORY SURVEY, MADISON, WISCONSIN 53706
AND IOWA GEOLOGICAL SURVEY, IOWA CITY, IOWA 52240
A FOLDER DESCRIBING TOPOGRAPHIC MAPS AND SYMBOLS IS AVAILABLE ON REQUEST



ROAD CLASSIFICATION
Heavy-duty ——— Light-duty - - - - -
Medium-duty - - - - - Unimproved dirt - - - - -
U.S. Route (red circle) State Route (black circle)

CASSVILLE, WIS.-IOWA
42090-F8-TF-024

1955
PHOTOINSPECTED 1978
DMA 2869 III NW - SERIES V876

The difference between 1927 North American Datum and North
American Datum of 1983 (NAD 83) for 7.5-minute intersections
is given in USGS Bulletin 1875. The NAD 83 is shown by
dashed corner ticks