



Mapped, edited, and published by the Geological Survey in cooperation with State of Wisconsin agencies  
Control by USGS and USC&GS  
Topography by photogrammetric methods from aerial photographs taken 1963. Field examination 1963  
Selected hydrographic data compiled from U.S. Lake Survey Chart 961 (1961). This information is not intended for navigational purposes  
Polyconic projection. 1927 North American datum  
10,000-foot grid based on Wisconsin coordinate system, north zone  
1000-meter Universal Transverse Mercator grid ticks, zone 15, shown in blue  
Map photinspected 1975  
No major culture or drainage changes observed



FEB 8 2005



ROAD CLASSIFICATION  
Trails

THIS MAP COMPLIES WITH NATIONAL MAP ACCURACY STANDARDS  
FOR SALE BY U.S. GEOLOGICAL SURVEY, DENVER, COLORADO 80225, OR RESTON, VIRGINIA 22092  
AND WISCONSIN GEOLOGICAL AND NATURAL HISTORY SURVEY, MADISON, WISCONSIN 53706  
A FOLDER DESCRIBING TOPOGRAPHIC MAPS AND SYMBOLS IS AVAILABLE ON REQUEST  
ARTHUR H. ROBINSON MAP LIBRARY  
University of Wisconsin-Madison

The difference between 1927 North American Datum and North American Datum of 1983 (NAD 83) for 7.5-minute intersections is given in USGS Bulletin 1875. The NAD 83 is shown by dashed corner ticks  
1963  
PHOTOINSPECTED 1975  
DMA 2878 II SE—SERIES V861

CAT ISLAND, WIS.  
SE/4 ROCKY ISLAND 15' QUADRANGLE  
47090-A5-TF-024

1975  
copy  
1-2