



Mapped, edited, and published by the Geological Survey as part of the Department of the Interior program for the development of the Missouri River Basin Control by USGS, NOS/NOAA and Wyoming Geodetic Survey


Topography by photogrammetric methods from aerial photographs taken 1961. Field checked 1963. Polyconic projection 1927 North American datum 10,000-foot grid based on Wyoming coordinate system, east zone 1000-meter Universal Transverse Mercator grid ticks, zone 13, shown in blue.

Fine red dashed lines indicate selected fence lines. Revisions shown in purple compiled from aerial photographs taken 1976. Map edited 1978. This information not field checked.



CONTOUR INTERVAL 10 FEET  
DOTTED LINES REPRESENT 5-FOOT CONTOURS  
NATIONAL GEODETIC VERTICAL DATUM OF 1929

THIS MAP COMPLIES WITH NATIONAL MAP ACCURACY STANDARDS  
FOR SALE BY U. S. GEOLOGICAL SURVEY, DENVER, COLORADO 80225, OR RESTON, VIRGINIA 22092  
A FOLDER DESCRIBING TOPOGRAPHIC MAPS AND SYMBOLS IS AVAILABLE ON REQUEST



ROAD CLASSIFICATION  
Heavy-duty — Light-duty  
Unimproved dirt  
U.S. Route

Historic Topographic Division

BAMFORTH LAKE, WYO.  
N4122 5 - W10537 5/7.5  
1963  
PHOTOREVISED 1978  
AMS 4866 1 NW - SERIES V874

DEC 2 1 1978

2550