

 $\frac{0°37'}{11 \text{ MILS }} \left| \frac{16°}{284 \text{ MILS}} \right|$ Polyconic projection. 1927 North American Datum CONTOUR INTERVAL 20 FEET 10,000-foot grid based on Wyoming coordinate system, NATIONAL GEODETIC VERTICAL DATUM OF 1929 WYOMING west and west central zones 1000-meter Universal Transverse Mercator grid ticks, zone 12, shown in blue UTM GRID AND 1964 MAGNETIC NORTH DECLINATION AT CENTER OF SHEET BUTCHER KNIFE DRAW, WYO. The difference between 1927 North American Datum and North QUADRANGLE LOCATION American Datum of 1983 (NAD 83) for 7.5 minute intersections is THIS MAP COMPLIES WITH NATIONAL MAP ACCURACY STANDARDS 41110-C1-TF-024 given in USGS Bulletin 1875. The NAD 83 is shown by dashed FOR SALE BY U.S. GEOLOGICAL SURVEY 1964 PHOTOINSPECTED 1977 DMA 3966 I SE-SERIES V874 corner ticks DENVER, COLORADO 80225, OR RESTON, VIRGINIA 22092 Map photoinspected 1977 A FOLDER DESCRIBING TOPOGRAPHIC MAPS AND SYMBOLS IS AVAILABLE ON REQUEST Fine red dashed lines indicate selected fence lines No major culture or drainage changes observed

