

Mapped, edited, and published by the Geological Survey

Control by USGS and NOS/NOAA

Topography by photogrammetric methods from aerial photographs taken 1967. Field checked 1968

Polyconic projection, 1927 North American Datum

10,000-foot grid based on Wyoming coordinate system,

west central zone

1000-meter Universal Transverse Mercator grid ticks, zone 12,

shown in blue

The difference between 1927 North American Datum and North

American Datum of 1983 (NAD 83) for 7.5 minute intersections is



given in USGS Bulletin 1875. The NAD 83 is shown by dashed

corner ticks

Fine red dashed lines indicate selected fence lines

Map photoinspected 1976


No major culture or drainage changes observed



THIS MAP COMPLIES WITH NATIONAL MAP ACCURACY STANDARDS
FOR SALE BY U.S. GEOLOGICAL SURVEY
DENVER, COLORADO 80225, OR RESTON, VIRGINIA 22092
A FOLDER DESCRIBING TOPOGRAPHIC MAPS AND SYMBOLS IS AVAILABLE ON REQUEST

ROAD CLASSIFICATION

Light-duty road, all weather	Unimproved road, fair or dry weather
Improved surface	-----



USGS NMD HISTORICAL MAP

APR 26 1991

REC'D FILE COPY

LION BLUFFS, WYO.
41109-D1-TF-024

1968
PHOTOINSPECTED 1976
DMA 4166 I NE-SERIES V874