


Mapped, edited, and published by the Geological Survey as part of the Department of the Interior program for the development of the Missouri River Basin Control by USGS and NOS/NOAA
Topography by photogrammetric methods from aerial photographs taken 1958. Field checked 1960
Polyconic projection. 1927 North American Datum 10,000-foot grid based on Wyoming coordinate system, east central zone
1000-meter Universal Transverse Mercator grid ticks, zone 13, shown in blue
The difference between 1927 North American Datum and North American Datum of 1983 (NAD 83) for 7.5 minute intersections is given in USGS Bulletin 1875. The NAD 83 is shown by dashed corner ticks



UTM GRID AND 1960 MAGNETIC NORTH DECLINATION AT CENTER OF SHEET
FINE RED DASHED LINES INDICATE SELECTED FENCE AND FIELD LINES WHERE GENERALLY VISIBLE ON AERIAL PHOTOGRAPHS
THIS INFORMATION IS UNCHECKED
There may be private inholdings within the boundaries of the National or State reservations shown on this map

SCALE 1:24,000
1 0 1000 2000 3000 4000 5000 6000 7000 FEET
1 0 1 KILOMETER
CONTOUR INTERVAL 40 FEET
NATIONAL GEODETIC VERTICAL DATUM OF 1929

THIS MAP COMPLIES WITH NATIONAL MAP ACCURACY STANDARDS
FOR SALE BY U.S. GEOLOGICAL SURVEY
DENVER, COLORADO 80225, OR RESTON, VIRGINIA 22092
A FOLDER DESCRIBING TOPOGRAPHIC MAPS AND SYMBOLS IS AVAILABLE ON REQUEST

ROAD CLASSIFICATION
Light-duty ——— Unimproved dirt ———

WYOMING
QUADRANGLE LOCATION

SPANISH POINT, WYO.
44107-D4-TF-024
1960
DMA 4572 IV NW—SERIES V874

