TREMAIN QUADRANGLE **UNITED STATES** DEPARTMENT OF THE INTERIOR WYOMING-NEBRASKA 7.5-MINUTE SERIES (TOPOGRAPHIC) **GEOLOGICAL SURVEY** 104°07′30″ 41°37′30″ 2' 30" _{|580} 104°00′00″ 41°37′30″ 5' 00" 1740 000 FEET (NEB.) 575000mE 576 800 000 FEET (WYØ.) 578 R 60 W R 58 W 10 350 000 FEET 4608000mN (WYØ.) 4607 740 000 FEET (NEB.) 4606 4713 20 4605 4604 4772₁ -35' 00" 35' 00" * BM 4603 4602 T 19 N GOSHEN CO GOSHEN CO T 18 N LARAMIE CO 4601 Tremain 4600 4600 32' 30" 32' 30" 4599 4599 4598 71 0 000 FEET (NEB.) 4597 31 0 000 FEET (WYØ.) USGS NMD HISTORICAL MAP ARCHIVES JUL 3 1 1995 4595 27 / 4595000mN 41 °30′ 00″ 104 °07′ 30″ 583000mE 104°00' 00" \$78 582 790 000 FEET (WYØ.) 760 000 FEET (NEB.) R 60 W R 58 W 5' 00" 2' 30" INTERIOR - GEOLOGICAL SURVEY, RESTON, VIRGINIA - 1995 SCALE 1:24 000 Produced by the United States Geological Survey ROAD CLASSIFICATION Control by USGS and NOS/NOAA Compiled from imagery dated 1957. Revised from imagery dated 1990. PLSS and survey control current as of 1960 Map edited 1995. Contours and land elevations have not been revised and may conflict with other content Light-duty road, hard or Primary highway WYOMING hard surface ... improved surface ... Secondary highway MILES hard surface North American Datum of 1927 (NAD 27). Projection and blue 1000-meter ticks: Universal Transverse Mercator, zone 13 10 000-foot ticks: Wyoming Coordinate System, east zone and Nebraska Coordinate System, south zone 1000 0 1000 2000 3000 4000 5000 Interstate Route U.S. Route State Route QUADRANGLE LOCATION Nebraska Coordinate System, south zone

North American Datum of 1983 (NAD 83) is shown by dashed corner ticks. The values of the shift between NAD 27 and NAD 83 for 7.5-minute intersections are obtainable from National Geodetic Survey NADCON software **CONTOUR INTERVAL 20 FEET** SUPPLEMENTARY CONTOUR INTERVAL 10 FEET NATIONAL GEODETIC VERTICAL DATUM OF 1929 1 La Grange
2 McCompsey Pass
3 Murray Lake
4 Petsch Reservoir 10 1/2 ° 0°37′ 187 MILS TO CONVERT FEET TO METERS MULTIPLY BY 0.3048 Fine red dashed lines indicate selected fence and field lines where generally visible on aerial photographs. This information is unchecked 11 MILS TREMAIN, WY-NE TO CONVERT METERS TO FEET MULTIPLY BY 3.2808 5 Murray Lake SW 41104-E1-TF-024 6 Gurney Peak THIS MAP COMPLIES WITH NATIONAL MAP ACCURACY STANDARDS UTM GRID AND 1995 MAGNETIC NORTH DECLINATION AT CENTER OF SHEET 7 Albin 8 Head of Rocky Hollow 1990 FOR SALE BY U.S. GEOLOGICAL SURVEY DENVER, COLORADO 80225, OR RESTON, VIRGINIA 22092 DMA 5167 II SE-SERIES V874 ADJOINING 7.5' QUADRANGLE NAMES A FOLDER DESCRIBING TOPOGRAPHIC MAPS AND SYMBOLS IS AVAILABLE ON REQUEST